

---

Report no.: **201845911**  
Test no.: **S181206001**  
Test sample: **HERNIK Hero - NXT**  
Regulation: **ECE R129-02**

---

# Test report

## *Dynamic test*

Customer: **HERNIK GmbH**  
**Bodenseestr. 25**  
**83059 Kolbermoor**

Approval number: **020023**  
Series number: **301700005760**  
Impact: **frontal**  
Installation: **rearward**  
Attachment CRS: **Isofix system with support leg long 230mm**  
Securing dummy: **5- point belt**  
Dummy / mass: **Q3 / 14.6kg**  
Adjustment CRS: **most reclining position**

Headrest: **topmost position**  
Remarks: **Reha modification (with support- and safety pad, thorax support from aluminium, abduction wedge), WE14752**  
**based on Dualfix M i-size**

Passed / failed: ***passed the requirements***

Report no.: 201845911  
Test no.: S181206001  
Test sample: HERNIK Hero - NXT  
Regulation: ECE R129-02

## Results

06.12.2018 / page 2

Head forward displ. / time: approx. 680mm at 81ms  
Exceeding plane AB/FG: no  
Exceeding plane AD/FD: no  
Exceeding plane DE: no  
Abdominal injury: no  
Contact 100 mm steel tube: no  
Remarks test sample: --


## Measurements

### **sled:**

*impact velocity:* 48.3 km/h

*brake distance:* 640 mm




*maximum:* 23.2 g



Report no.: 201845911  
Test no.: S181206001  
Test sample: HERNIK Hero - NXT  
Regulation: ECE R129-02

**Dummy**

06.12.2018 / page 3



Report no.: 201845911  
Test no.: S181206001  
Test sample: HERNIK Hero - NXT  
Regulation: ECE R129-02

**Dummy**

06.12.2018 / page 4

