

Lazarehab
postural and mobility solutions



Product Catalogue

www.lazarehab.com

HERO **NXT**

Our smallest special needs car seat for babies from 0 years old. With excellent postural support options and tilt-in-space. A 360° swivel base to facilitate transfers in and out of the vehicle and to swap the position from rear to forward-facing. Available to babies from 0 years old

STANDARD FEATURES

Position in the vehicle: Rear or Forward-facing

Installation in the vehicle: ISOFIX

User height: From 61 to 105 cm / 2ft 0in to 3ft 5in

Crown height: From 41 to 53 cm / 16" to 21"

User weight: Up to 18 Kg / 2st 11lbs

- Tilt-in-space (tool-free adjustable)
- Swivel base 360° to facilitate the transfers.
- Colours available: red and black or grey and black
- Headrest height adjustable (tool-free adjustable)
- Seat width adjustable (Infill pads)
- Seat depth adjustable (Infill pads)
- Padded 5-point harness (Adjustable)



0 months - 4 years*

*approximately



**CRASH TESTED
ACCORDING TO
ECE R129 i Size**



ACCESSORIES

- Head Fixation (with forehead band)
- Thoracic supports
- Abduction block
- Longer 5 point-harness
- Padded tray
- Security pad to cover buckle (**Houdinis**)
- Belt to connect the chest straps (**Houdinis**)



TECHNICAL INFORMATION

To see all the accessories please check the prescription form.

	HERO NXT w/ infill pads	HERO NXT w/o infill pads
Seat width	21 cm / 8.2"	25 cm / 9.8"
Seat depth	25 cm / 9.8"	28 cm / 11"
Backrest height	21-34 cm / 8.2"-13.4"	27-35 cm / 10.6"-13.8"
Headrest height	41-53 cm / 16.1"-20.8"	44-56 cm / 17.3"-22.0"
Thoracic supports	12-21 cm / 4.7"-8.2" (optional)	
Overall width	43 cm / 16.9"	
Overall depth	63 cm / 24.8"	
Overall height	66-73 cm / 25.9"-28.7" (without feet 60 cm / 23.6")	
User weight	Up to 18 Kg / 2st 11lbs	
Tilt-in-space	0°-15°	
Reclining Backrest	Not available	
Swivel base	360°	
Installation	ISOFIX	

HERO **XL**

Due to poor head control and sitting balance, many children need to remain in a rear-facing position in the vehicle until they get older.

Hero XL was developed to think about these children (up to 36 Kg / 5st 9lbs) so they can travel safer with all the postural support that meets their clinical needs.

Excellent postural support accessories.
For children from 2 years old.



2 years - 8 years*

*approximately

STANDARD FEATURES

Position in the vehicle: Rear-facing

Installation in the vehicle: ISOFIX

User height: From 61 to 125 cm / 2' 0' to 4' 1'


Crown height: 48 to 68 cm / 18.9" to 26.8"

User weight: Up to 36 Kg / 5st 9lbs

- Colours available: red and black or grey and black
- Headrest height adjustable
- Padded 5-point harness (Adjustable)
- No swivel-base.




CRASH TESTED
ACCORDING TO
ECE R129-03



ACCESSORIES

- Head Fixation (with forehead band)
- Thoracic supports
- Abduction block
- Padded tray
- Seat depth adapter
- Belt to connect the chest straps (**Houdinis**)
- Security pad to cover the buckle (**Houdinis**)



TECHNICAL INFORMATION

To see all the accessories please check the prescription form.

	HERO XL
Seat width	24 cm / 9.4"
Seat depth	25-34 cm / 9.8"-13.4"
Backrest height	28-45 cm / 11"-17.7"
Headrest height	48-68 cm / 18.9"-26.8"
Thoracic supports	Optional
Overall width	43 cm / 16.9"
Overall depth	55 cm / 21.6"
Overall height	65-82 cm / 25.6"-32.3"
User weight	Up to 36 Kg / 5st 9lbs
Tilt-in-space	Fixed tilt-in-space
Reclining Backrest	Not available
Swivel base	Not available
Installation	ISOFIX / Tie down straps

IPAI **MINI**

This fully adjustable special needs car seat offers excellent postural support, a reclining backrest, and a tilt-in-space feature for children who have poor sitting balance and head control. The Ipai Mini also has a swivel base to facilitate transfers in and out of the vehicle.

STANDARD FEATURES

Position in the vehicle: Forward-facing

Installation in the vehicle: ISOFIX or Universal Clamp Bow

User height: From 100 to 125 cm / 3' 3" to 4' 1"

Crown height: From 53 to 65 cm / 20.9" to 25.6"

- Colours available: red/black and grey/black
- Headrest height adjustable - tool-free adjustable
- Padded 5-point harness with individual adjustment
- **Reclining backrest - tool-free adjustable (80°-120°) NEW**

OPTIONAL

- **Tilt-in-space adjustment - tool-free adjustable (5°-20°) NEW**
- **Swivel base - 90° (Left or Right)**
- **ISOFIX adapter - tool-free adjustable NEW**
- **Universal Clamp Bow - compatible in any vehicle - tool-free adjustable NEW**



**CRASH TESTED
ACCORDING TO
ECE R129-03**



3 years - 8 years*

*approximately



ACCESSORIES

- **Head Fixation (with forehead band) - NEW**
- **Thoracic supports**
- **Abduction block**
- **Adductor pads**
- **Seat depth adapter +2 to 12 cm / +0.8" to 4.7"**
- **Padded tray**
- **Footrest height adjustable and option of swing-up footplate**
- **Ankle Huggers**
- **Security pads to cover the buckle (Houdinis)**
- **Belt to connect the chest straps (Houdinis)**



TECHNICAL INFORMATION

To see all the accessories please check the prescription form.

	IPAI MINI
Seat width	25 cm / 9.8"
Seat depth	26-38 cm / 10.2"- 15" (with seat depth adapter)
Backrest height	30-48 cm / 11.8"-18.9"
Headrest height	52-65 cm / 20.5"-25.6"
Thoracic supports	Optional
Overall width	45 cm / 17.7"
Overall depth	45 cm / 17.7"
Overall height	66-89 cm / 26"-35"
Tilt-in-space	5°-20° (optional)
Reclining Backrest	80°-120°
Swivel base	90° - Left or Right - (optional)
Installation	ISOFIX or Universal Clamp Bow

IPAI MAX

This fully adjustable special needs car seat offers excellent postural support, a reclining backrest, and a tilt-in-space feature for children who have poor sitting balance and head control. The Ipai Max also has a swivel base to facilitate transfers in and out of the vehicle.

STANDARD FEATURES

Position in the vehicle: Forward-facing

Installation in the vehicle: ISOFIX or Universal Clamp Bow

User height: From 100 to 150 cm / 3' 3" to 4' 11"

Crown height: From 56 to 76 cm / 22" to 29.9"

- Colours available: red/black and grey/black
- Headrest height adjustable - tool-free adjustable
- Padded 5-point harness with individual adjustment
- **Reclining backrest-tool-free adjustable (80°-120°) NEW**

OPTIONAL

- **Tilt-in-space adjustment - tool-free adjustable (5°-20°) NEW**
- **Swivel base - 90° (Left or Right)**
- ISOFIX adapter - **tool-free adjustable NEW**
- Universal Clamp Bow - compatible with any vehicle - **tool-free adjustable NEW**



**CRASH TESTED
ACCORDING TO
ECE R129-03**



4 year - 12 years*

*approximately



ACCESSORIES

- **Head Fixation (with forehead band) - NEW**
- Head pads
- **Thoracic supports**
- Shoulder pads (reduces the backrest width by 6 cm / 2.4")
- Backrest pads (reduces seat depth by 3 cm / 1.2")
- Hip pads (reduces the seat width by 6 cm / 2.4")
- Seat cushion (reduces the backrest height by 3 cm / 1.2")
- Seat depth adapter +2 to 12 cm / +0.8" to 4.7"
- **Abduction block**
- **Adductor pads**
- Padded tray
- **Footrest height adjustable and option of swing-up footplate**
- **Ankle Huggers**
- Security pads to cover the buckle (**Houdinis**)
- Belt to connect the chest straps (**Houdinis**)



TECHNICAL INFORMATION

To see all the accessories please check the prescription form.

	IPAI MAX w/ infill pads	IPAI MAX w/o infill pads
Seat width	26 cm / 10.2"	32 cm / 12.6"
Seat depth	30 cm / 11.8"	33-45 cm / 13"-17.7"
Backrest height	38-53 cm / 15"-20.9"	41-56 cm / 16.1"-22"
Headrest height	56-73 cm / 22"-28.7"	59-76 cm / 23.2"-29.9"
Thoracic supports	Optional	
Overall width	44 cm / 17.3"	
Overall depth	44 cm / 17.3"	
Overall height	71-88 cm / 28" - 34.6"	
Tilt-in-space	5°-20° (optional)	
Reclining Backrest	85°-120°	
Swivel base	90° - Left or Right - (optional)	
Installation	ISOFIX or Universal Clamp Bow	

IPAI

Lightweight special needs car seat (7 kg only) that offers excellent postural support.

STANDARD FEATURES

Position in the vehicle: Forward-facing

Installation in the vehicle: ISOFIX

User height: From 100 to 150 cm / 3' 3" to 4' 11"

Crown height: From 59 to 79 cm / 23" to 31.1"

- Colour available: black
- Headrest height adjustable
- Padded five-point harness with individual adjustment
- **Side supports**
- Reclining backrest
- ISOFIX
- No swivel base.



4 years - 12 years*

*approximately



**CRASH TESTED
ACCORDING
TO ECE R129-03**



ACCESSORIES

- **Head Fixation (with forehead band) - NEW**
- Seat depth adapter +2 to 12 cm / +0.8" to 4.7"
- **Abduction block (pommel)**
- Padded tray
- **Fixed tilt-in-space - Wedge cushion - (10°)**
- **Footrest height adjustable and option of swing-up footplate**
- **Ankle Huggers**
- Belt to connect the chest straps (**Houdinis**)
- Security pads to cover the buckle (**Houdinis**)



TECHNICAL INFORMATION

To see all the accessories please check the prescription form.

	IPAI LGT
Seat width	31 cm / 12.2"
Seat depth	32-44 cm / 12.6"-17.3"
Backrest height	38-58 cm / 15"-22.8"
Headrest height	59-79 cm / 23.2"-31.1"
Thoracic supports	Optional
Overall width	48 cm / 18.9"
Overall depth	39 cm / 15.4"
Overall height	67-85 cm / 26.8"-33.5"
Tilt-in-space	5°-20° (optional)
Reclining Backrest	Fixed 10° (optional – wedge cushion)
Installation	ISOFIX

KIDSFLEX **PRO** R129

The KIDSFLEX PRO is a highly adaptable rehabilitation seat designed to meet a wide range of individual needs. Even in its standard configuration, it includes a 5-point harness, a width-adjustable standard headrest, thoracic supports, shoulder guides, a seat-depth extension, height-adjustable backrest, a recline adjustment, and an ISOFIX adapter..

STANDARD FEATURES

Position in the vehicle: Forward-facing

Installation in the vehicle: ISOFIX or Universal Clamp Bow -
Adjustable (Tool-free) NEW

User height: From 100 to 150 cm / 3' 3" to 4' 11" (on 2 sizes)

Crown height: Up to 73 cm / 28.7" (on size 2 XL)

User weight: Up to 50 Kg / 7st 12lbs (on size 1 and 2)

- Available in 2 sizes
- Available to children
- Colour available: Red/Black or Grey/Black **NEW**
- Seat depth adjustable
- Padded 5-point harness with individual adjustment
- **Reclining backrest - (90°- 120°)**
- **Head Support, standard - height adjustable NEW**
- **Shoulder supports NEW**
- **Small, fixed thoracic supports NEW**
- ISOFIX or Universal Clamp bow **NEW**

OPTIONAL

- **Swivel Base 90° (left or right)**
- **Tilt-in-space - (5°-20°) – Adjustable (Tool-free) NEW**
- Optional colours red, black and grey.



CRASH TESTED ACCORDING TO R129/04



3 years - 14 years*
2 sizes

**approximately*



ACCESSORIES

- Head Fixation (with forehead band)
- Head Support Pro (width adjustable)
- Small thoracic supports (swing-away)
- Large thoracic supports (fixed and swing-away)
- Ergonomic seat cushion
- Hip guides pads
- Abduction block
- Adductors support
- Padded tray
- Footrest with the option swing-up footplate
- Ankle Huggers
- Security pad to cover the buckle (**Houdinis**)
- Belt to connect the chest straps (**Houdinis**)
- Protection mat



TECHNICAL INFORMATION

To see all the accessories please check the prescription form.

	KIDSFLEX PRO R129 Size 1	KIDSFLEX PRO R129 Size 2
Seat width	28 cm / 11"	33 cm / 13"
Seat depth	31-37 cm / 12.2"-14.6"	36-42 cm / 14.2"-16.5"
Backrest height	33-48 cm / 12.9"-18.9"	33-51 cm / 13"-20.1"
Headrest height	56-71 cm / 22.1"-28"	58-73 cm / 22.8"-28.7"
Thoracic supports height (small)	19-38 cm / 7.5"-15"	24-43 cm / 9.5"-16.9"
Distance between thoracic supports	14-25 cm / 5.5"-9.8"	17-28 cm / 6.7"-11.02"
Weight capacity	50 Kg / 7st 12lbs	50 Kg / 7st 12lbs
Tilt-in-space	5° to 20° (optional)	
Reclining Backrest	90°-120°	
Swivel base	90° - Left or Right - (optional)	
Installation	ISOFIX or Universal Clamp Bow	

KIDSFLEX^{R129} Edition

Kidsflex has been crash tested recently under R129-03 regulation. Kidsflex is the most advanced car seat on the market, fully adjustable with a great range of accessories to provide optimal postural support.

The Kidsflex is available in three sizes and has a weight user limit of 100 Kg making it the number one choice for teenagers. The Kidsflex shell can be customized in size and can also accommodate molded seats for more complex postures.

STANDARD FEATURES

Position in the vehicle: Forward-facing

Installation in the vehicle: ISOFIX

User height: From 100 to 175 cm / 3' 3" to 5' 9" (in 3 sizes)

Crown height: Up to 82 cm / 32" (on size 2 XL)

User weight: Up to 100 Kg / 15st 19lbs (on size 2XL)

- Available in 3 sizes
- Available to children to young adults
- Colour available: Black Edition **NEW**
- Seat depth adjustable
- Padded 5-point harness with individual adjustment
- **Reclining backrest - (0°- 20°)**
- **Kick-back headrest height adjustable NEW**
- **Shoulder supports NEW**
- **Small, fixed thoracic supports NEW**
- ISOFIX or Universal Clamp bow **NEW**

OPTIONAL

- **Swivel Base 90° (left or right)**
- **Tilt-in-space - (0°-20°) - Adjustable**
- Optional colours red, blue and grey.



CRASH TESTED ACCORDING TO R129/03



8 years - 20 years*
3 sizes

*approximately



ACCESSORIES

- Head Fixation (with forehead band)
- Small thoracic supports (swing-away)
- Large thoracic supports (fixed and swing-away)
- Hip guides pads
- **Abduction block**
- **Adductors support**
- Padded tray
- **Footrest with the option swing-up footplate**
- **Ankle Huggers**
- Security pad to cover the buckle (**Houdinis**)
- Belt to connect the chest straps (**Houdinis**)



TECHNICAL INFORMATION

To see all the accessories please check the prescription form.

	KIDSFLEX R129 Size 1	KIDSFLEX R129 Size 2	KIDSFLEX R129 Size 2 XL
Seat width	31 cm / 12.2"	35 cm / 13.8"	40 cm / 15.8"
Seat depth	28-33 cm / 11"-13"	34-39 cm / 13.4"-15.4"	40-46 cm / 15.8"- 18.1"
Backrest height	43-51 cm / 16.9"-20.1"	49-57 cm / 19.3"-22.4"	58-69 cm / 22.8"-27.2"
Headrest height	Up to 67 cm / 26.4"	Up to 73 cm / 28.7"	Up to 82 cm / 32.3"
Thoracic supports height	26-36 cm / 10.2"-14.2"	26-36 cm / 10.2"-14.2"	34-44 cm / 13.4"-17.3"
Distance between thoracic supports	16-28 cm / 6.3"-11"	19-32 cm / 7.5"-12.6"	24-37 cm / 9.5"-14.6"
Weight capacity	50 Kg / 7st 12lbs	50 Kg / 7st 12lbs	100 Kg / 15st 10lbs
Tilt-in-space	Up to 20° (optional)		
Reclining Backrest	90°-120°		
Swivel base	90° - Left or Right - (optional)		
Installation	ISOFIX		

KIDSFLEX ^{R44} Edition

Kidsflex is the most advanced car seat on the market, fully adjustable with a great range of accessories to provide optimal postural support.

STANDARD FEATURES

Position in the vehicle: Forward-facing

Installation in the vehicle: ISOFIX

User height: From 100 to 175 cm / 3' 3" to 5' 9" (in 3 sizes)

Crown height: Up to 82 cm / 32" (on size 2 XL)

User weight: Up to 75 Kg / 11st 11lbs (on size 2 XL)

- Available in 3 sizes
- Colours available: red/black, blue/black and grey/black
- **Reclining backrest - (0°- 20°)**
- **Seat depth adjustable**
- Headrest height adjustable (optional)
- Padded 5-point harness with individual adjustment

OPTIONAL

- **Swivel Base 90° (left or right)**
- **Tilt-in-space - (0°-20°) - Adjustable**
- ISOFIX
- Universal Clamp bow



8 years - 20 years*
3 sizes

*approximately



CRASH TESTED ACCORDING TO
R44/04

ACCESSORIES

- **Head Fixation (with forehead band)**
- **Contoured headrest**
- **Kick-back headrest**
- **Shoulder supports**
- **Small thoracic supports (fixed and swing-away)**
- **Large thoracic supports (fixed and swing-away)**
- **Hip guides pads**
- **Abduction block**
- **Adductors support**
- **Padded tray**
- **Footrest with the option of swing-up footplate**
- **Ankle huggers**
- **Security pad to cover the buckle (Houdinis)**
- **Belt to connect the chest straps (Houdinis)**



TECHNICAL INFORMATION

To see all the accessories please check the prescription form.

	KIDSFLEX R129 Size 1	KIDSFLEX R129 Size 2	KIDSFLEX R129 Size 2 XL
Seat width	31 cm / 12.2"	35 cm / 13.8"	40 cm / 15.8"
Seat depth	28-33 cm / 11"-13"	34-39 cm / 13.4"-15.4"	40-46 cm / 15.8"- 18.1"
Backrest height	43-51 cm / 16.9"-20.1"	49-57 cm / 19.3"-22.4"	58-69 cm / 22.8"-27.2"
Headrest height	Up to 67 cm / 26.4"	Up to 73 cm / 28.7"	Up to 82 cm / 32.3"
Thoracic supports height	26-36 cm / 10.2"-14.2"	26-36 cm / 10.2"-14.2"	34-44 cm / 13.4"-17.3"
Distance between thoracic supports	16-28 cm / 6.3"-11"	19-32 cm / 7.5"-12.6"	24-37 cm / 9.5"-14.6"
Weight capacity	22 Kg / 3st 6lbs	36 Kg / 5st 9lbs	75 Kg / 11st 11lbs
Tilt-in-space	Up to 20° (optional)		
Reclining Backrest	90°-120°		
Swivel base	90° - Left or Right - (optional)		
Installation	ISOFIX / Universal Clamp Bow		

Lazarehab

www.lazarehab.com